



# FRONT VIEW

Pin #	Assignment
1	Top
2	Left
3	Bottom
4	Right



DETAIL A



NOTES:

1. ITO GLASS THICKNESS : 1.10mm
2. OVERALL THICKNESS : 1.40±0.10mm
3. CONNECTOR AND PINOUT AS INDICATED
4. FRONT SURFACE : ANTI-GLARE HARDCOAT
5. LAYER TO LAYER ASSEMBLY TOLERANCE: ±0.50mm
6. TAIL TYPE : IMMERSION GOLD PLATED FPC , ZIF
7. OTHER SPEC : SEE APPROVAL SHEET



NO.	DATE	REVISION	DESCRIPTION	CHK
C	JAN 3, 2006	MATERIAL MODIFY		ALEX
B	JAN 20, 2006	CONDUCTOR GOLD PLATING		ALEX
A	SEP 29, 2004	ADD UV GLUE TO TAIL LOCATION		ALEX

CHIEF OF DESIGN	APPROVED	PROJECT NUMBER	DATE	REV.	CHK
ENGINEER	Alex		JAN 3, 2006	C	
DRAWN BY	Jerry				

Apex Material Technology Corp.

TOLERANCES UNLESS SPECIFIED	PROJECT NAME :
.X	9509
± 0.50	DWG NO : 9509-3-01
.XX	
± 0.50	
.XXX	
± 0.30	
ANGULAR	SCALE: 1:1
	UNIT: mm