





FRONT VIEW



DETAIL A
SCALE 2.0

- NOTES:
1. ITO GLASS THICKNESS : 1.10mm
 2. OVERALL THICKNESS : 1.40±0.10mm
 3. CONNECTOR AND PINOUT AS INDICATED
 4. FRONT SURFACE : ANTI-GLARE HARDCOAT
 5. LAYER TO LAYER ASSEMBLY TOLERANCE: ±0.30mm
 6. TAIL TYPE : IMMERSION GOLD PLATED FPC , ZIF
 7. OTHER SPEC : SEE APPROVED SHEET

Pin #	Assignment
1	LEFT
2	BOTTOM
3	RIGHT
4	TOP



NO.	DATE	REVISION	APPROVED	CHK
B	SEP 21, 2006	ITO PET MODIFY		CHK
A	SEP 19, 2006	CONDUCTOR GOLD PLATING & ORGANOSOLUBLE ADHESIVE		CHK

CHG. OR DESIGN	APPROVED	Alex	CHK
ENGINEER	PROJECT MANAGER		
DRAWN BY	DATE	SEP 21, 2006	
SHIT 1	OF 1	REV.	B

TOLERANCES UNLESS SPECIFIED		PROJECT NAME: 9519
.X	± 0.50	PMC NO : 9519-2-01
.XX	± 0.50	
.XXX	± 0.50	

Apex Material Technology Corp.

SCALE: 1:1 UNIT: mm