

SVX-1920v2 High-Resolution Controller

Key Features :

- > DVI (dual link), HDMI (1.4), VGA (DB15), Component, DisplayPort (next release)
- > LVDS
- > 10-Bit, 1920 x 1200 WUXGA @60Hz
- > Image Flip (Horizontal & Vertical)
- > RS-232, Ethernet Control, I2C

The SVX-1920v2 is a fully buffered multi-sync interface controller for providing analog and digital connection for a wide range of TFT LCD panels up to WUXGA resolution. It is a true 10-bit board that gives 10-bit color deep on a 10-bit panel.

Advanced features include full screen image expansion, on screen PIP and image flip function. The SVX-1920v2 is part of Digital View's "Professional Class" video controller family featuring advanced capabilities, support and custom development paths for OEM clients.

Panel Connectivity

1920 x 1200	1440 x 900	1024 x 768
1920 x 1080	1366 x 768	1024 x 600
1680 x 1050	1280 x 1024	800 x 600
1600 x 1200	1280 x 800	800 x 480
1600 x 900	1280 x 768	640 x 480

Input

Analog RGB:	60Hz at WUXGA, UXGA 75/60Hz at SXGA, WXGA, XGA, SVGA, VGA With auto detect of Digital Separate Sync, Sync-On-Green & composite Sync. Auto detects VGA-WUXGA, interlaced & non-interlaced
DVI Dual Link:	60Hz at WUXGA 75Hz at SXGA, WXGA, XGA, SVGA, VGA
HDMI 1.4:	60Hz at WUXGA 75Hz at SXGA, WXGA, XGA, SVGA, VGA
Video:	SD Component (YCbCr) HD Component (YPbPr)

Reliability

Calculated Mean Time Between Failures - In excess of 100,000 hours
Warranty: 3 years

Features


Colors:	Up to 10 bit per color, ie 1.06 billion colors
Functions :	On Screen Display (OSD) menu
Function Controls:	External buttons, Infra-Red controls, Serial Port control, Ethernet Control
Image Scaling :	Up / Down scaling to fit input to panel format
Image Control :	Auto configuration, Brightness, Contrast, Clock, Phase, Color Temperature, Image position, Hue, Saturation, Sharpness
Other Features :	System Information, OSD position, Scaling to fill screen and Letterbox Expand, OSD timeout, Factory Reset, Picture in Picture variable position Picture by Picture, Programmable hot keys, Ambient light sensor, Display real-time clock (option), Enable frame buffer for FRC image enhancement OSD menu transparency, DDC-CI support, CEC support on HDMI.
Image Flip:	Vertical and Horizontal
Ext Communication:	I2C, RS-232, Ethernet
Power:	+12VDC / +24VDC ±5%, 10W (controller only)
Panel Power:	Supports 3.3V, 5V, 12V & 18V panels
Panel Signal:	(4) channel LVDS support
Inverter Support:	DPMS Enable pin (3.3V or 5V), PWM,
Plug & Play:	DDC 1,2/b compatible
Status Indicator:	Dual color LED support
Audio:	Digital Audio SPDIF & Analog line-out
Options:	Infra-Red Remote Handset

*Specifications subject to change

SVX-1920v2

HIGH-RESOLUTION CONTROLLER

Mechanical Drawing



Connector Definitions

- CN1** Second RS-232 serial control
- CN4** Panel Control Signal Connector
- CN7** Reserved for Audio Line-Out
- CN8** RS-232 Serial Control
- CN9** Ambient Light Sensor Connector
- CN11** SPDIF Audio Output
- CNA1** Auxiliary Power Output
- CNB1** Backlight Status Input Connector
- CNB2** Backlight Status Input Connector
- CNC1** OSD Control
- CNV2** HD/SD Component Video in
- CP1** Reserved for internal programming
- CP3** Reserved for internal programming
- IR1** Infra-Red Sensor Connector
- J1** Ethernet for Network Connection
- J3** Panel Signal for LVDS Panel
- J5** Panel Power Output
- LED1** Dual Color LED Connector
- P1** VGA Analog Input
- P2** DVI-D Input
- P3** HDMI Input
- PP2** Power Input (alternative)
- PP4** External Panel Power Input
- PP5** Power Input

Ordering Options

SVX-1920v2	P/N 41744022X-3
Inverter Interface board	P/N 416040010-3
IR Remote Control	P/N 559000106-3
OSD Button Board	Kit 67110-3
OSD Vertical Membrane Kit	Kit 67134-3
OSD Horizontal Membrane Kit	Kit 67135-3
Power Input Cable	P/N 426013800-3
Power Supply	Kit 80100-3
Composite Video Input	Add-on Board - Coming Soon

Drawings

- > Includes 2D (jpg)
 - > 3D (SLDPRT)
- Please download at:**
www.digitalview.com/products/SVX-1920v2

Available Resources

- > Instruction Manual
 - > Revision Control Documentation**
 - > Firmware Upgrade Manual**
 - > Mechanical Drawing
- ** Available on Request

Controller Solution Generator
<http://www.digitalview.com/csg>

